# Bourdon Tube Pressure Gauge Type 111.25DW Contractor Gauge for Drinking Water Application Drinking Water Series - 4½" SS Case

WIKA Datasheet 111.25DW

# **Applications**

- Contractor Gauge for applications where water is anticipated to be used for human consumption.
- For applications in which products must comply with the 2014 US Safe Drinking Water Act and NSF 61/372.

#### **Product Features**

- Brass wetted parts with lead content ≤0.25%.
- Stainless steel case.
- ±1% accuracy.
- Reliable and economical.
- NSF/ANSI 61 listed and certified to NSF/ANSI 372 and conforms with the lead content requirements for lead-free plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

# **Specifications**

#### Design

**ASME B40.100** 

#### Sizes

4½" (115mm)

#### **Accuracy class**

±1% of span (ASME B40.100 Grade 1A)

## Ranges

Vacuum/Compound to 200 psi (16 bar) Pressure from 15 psi (1 bar) to 600 psi (40 bar) or other equivalent units of pressure or vacuum

# Working pressure

Steady: ¾ of full-scale value
Fluctuating: ½ of full-scale value
Short time: full-scale value

# Operating temperature

Ambient: -40°F to 140°F (-40°C to 60°C) Media: 140°F (+60°C) maximum



**Bourdon Tube Pressure Gauge Type 111.25DW** 

#### Temperature error

Additional error when temperature changes from reference temperature of 68°F (20°C)  $\pm 0.4\%$  of span for every 18°F (10°K) rising or falling.

### **Pressure connection**

Material: Lead-free copper alloy (lead content ≤0.25%) ¼" NPT lower mount (LM)

#### **Bourdon tube**

Material: Lead-free copper alloy C-shape

#### Solder

No-lead solder

#### Movement

Copper alloy

#### Dia

White aluminum with stop pin and black lettering

#### **Pointer**

Black aluminum

#### Case

Stainless steel, matte finish


#### Window

Snap-in polycarbonate

Part of your business

# **Optional Extras**

- Stainless steel rear flange
- Brass restrictor
- Custom dial layout
- Other pressure scales available: bar, kPa, MPa, kg/cm² and dual scales



Size		(Standard Version)											
		A	В	С	D	Е	F	G	Н		Т	w	Weight
4.5"	mm	124	86	29.2	9.8	149	137	62	30.5	5.6		14	
	in	4.88	3.38	1.15	0.39	5.87	5.37	2.44	1.20	0.22	1/4"	0.55	0.80 lb.

Page 2 of 2

WIKA Datasheet 111.25DW 06/2015

Ordering information
Pressure gauge model / Nominal size / Scale range / Size of connection / Optional extras required. Specifications and dimensions given in this leaflet represent the state of engineering at the time of printing. Modifications may take place and materials specified may be replaced by others without prior notice.

Copyright 2015 WIKA Instrument, LP. All rights reserved.



#### **WIKA Instrument Corporation**

1000 Wiegand Boulevard Lawrenceville, GA 30043-5868 Tel: 888-WIKA-USA • 770-513-8200

Fax: 770-338-5118 E-Mail: info@wika.com www.wika.com